Nuclear Engineering and Design 102 (1987) 505–507
North-Holland, Amsterdam

AUTHOR INDEX TO VOLUME 102

Agee, L.J., J.H. McFadden, M.P. Paulsen and C.E. Peterson, RETRAN's improved small break modeling capability 102 (1987) 191
Aurich, D., see Packeiser 102 (1987) 487
Aust, E., H.-R. Niemann and G.F. Schultheiss, Simulation of small break LOCA effects on BWR-pressure suppression systems 102 (1987) 229
Avioli, M., see Behravesh 102 (1987) 265

Barbian, O.A., see Bohn 102 (1987) 341
Barbian, O.A., see Bohn 102 (1987) 361
Barleon, L., K. Thomauske and H.Werle, Extended dryout and rewetting of small-particle core debris 102 (1987) 59
Barre, F., Ch. Chauliac and B. Noel, Calculation of LOFT L3-5 experiment with CATHARE 102 (1987) 177
Behravesh, M., M. Avioli, G. Dau and S.-N. Liu, Status of advanced UT systems for the nuclear industry 102 (1987) 265
Beliczey, S. and H. Schulz, The probability of leakage in piping systems of pressurized water reactors on the basis of fracture mechanics and operating experience 102 (1987) 431
Belytschko, T.B., see Wang 102 (1987) 21
Beyer, H., see Roos 102 (1987) 475
Bohn, H., K. Ruthrof, O.A. Barbian, W. Kappes, R. Neumann and H.-K. Stanger, Apparative developments for inservice inspections of reactor pressure vessels 102 (1987) 341
Bohn, H., M. Kröning, W. Rathgeb, W. Gebhardt, W. Kappes and O.A. Barbian, Proving the capabilities of the phased-array probe/ALOK inspection technique 102 (1987) 361
Böttger, W., H. Schneider and W. Weingarten, Prototype EMAT system for tube inspection with guided ultrasonic waves 102 (1987) 369
Brinette, R., G. Dobmann, G. Deuster and G. Katzenmeier, On-line surveillance instrumentation for full scale thermal shock trials under real pressurized water conditions (German HDR-program) 102 (1987) 245

Casadei, F., C. Delzano, G. Magonette, J.P. Halleux and G. Verzeletti, Dynamic testing of large AISI 316-L steel specimens behaviour using LDTF 102 (1987) 463
Catton, I., see Swanson 102 (1987) 105
Chang, J.S., see Sutradhar 102 (1987) 235
Chang, Y.W., see Wang 102 (1987) 21
Chauliac, Ch., see Barre 102 (1987) 177
Chen, T.H., see Modro 102 (1987) 143
Crostack, H.-A., see Roye 102 (1987) 313

Dahl, W., H. Ehrhardt, A. Heuser, R. Hubo, R. Twickler and D. Uwer, Determination of fracture mechanics properties of welded joints and comparison with the failure behaviour of wide plates 102 (1987) 451
Dalichow, M., R. Heumüller, M. Kröning and R. Schmid, Crack depth measurements in stainless steel pipes – Methods and reliability 102 (1987) 377
Darlaston, B.J. and W.E. Gardner, Advances in PWR structural integrity assessment and materials technology in the United Kingdom 102 (1987) 419
Dau, G., see Behravesh 102 (1987) 265
D'Auria, F., G.M. Galassi, F. Oriolo and P. Vigni, Assessment of scaling principles for the simulation of small break LOCA experiments in PWRs 102 (1987) 129
Deimel, P., see Theiner 102 (1987) 257
Delzano, C., see Casadei 102 (1987) 463
Deuster, G., see Brinette 102 (1987) 245
Deuster, G. and W. Schmülling, German NDE within PISC-II program 102 (1987) 319
Dobmann, G., see Brinette 102 (1987) 245
Doctor, S.R., T.E. Hall, L.D. Reid and G.A. Mart, Application of real-time 3D SAFT in the TANDEM mode 102 (1987) 387
Dressler, K. and B. Werden, Experience with a universal ALOK ultrasonic testing system 102 (1987) 357
Duffey, R.B. and J.P. Sursock, Natural circulation phenomena relevant to small breaks and transients 102 (1987) 115

Ehrhardt, H., see Dahl 102 (1987) 451
Eisele, U., see Roos 102 (1987) 439
Eisele, U., see Roos 102 (1987) 475
Eisenblätter, J., see Gehrhardt 102 (1987) 289
Ettemeyer, A., see Kussmaul 102 (1987) 307

Farnsworth, D.A. and J.G. Rice, Improved convergence of thermally coupled problems 102 (1987) 33
Findlay, J.A., see Koizumi 102 (1987) 151
Fitch, J., see Good 102 (1987) 45
Föhl, J., see Kussmaul 102 (1987) 397

Galassi, G.M., see D'Auria 102 (1987) 129
Gardner, W.E., see Darlaston 102 (1987) 419
Gebhardt, W., see Bohn 102 (1987) 361
Gehrhardt, H.-J., J. Eisenblätter, P. Jax, H.-J. Maier and E. Waschkies, Experimental study on the application of acoustic emission during the hydraulic pressurization of a reactor pressure vessel 102 (1987) 289
Gillot, R., see Roos 102 (1987) 475
Good, H., M. Lewis, J. Fitch and R. Mattson, Analytically predicted vs. measured response of a free-standing steel containment vessel subjected to safety-relief valve discharge loads 102 (1987) 45
Griffith, P., see Kim 102 (1987) 199

Hall, T.E., see Doctor 102 (1987) 387
Halleux, J.P., see Casadei 102 (1987) 463
Heumüller, R., see Dalichow 102 (1987) 377
Heuser, A., see Dahl 102 (1987) 451
Hino, R., see Maruyama 102 (1987) 1
Hino, R., see Maruyama 102 (1987) 11
Hisihida, M., see Maruyama 102 (1987) 1
Hubo, R., see Dahl 102 (1987) 451

Iyer, K., see Theofanous 102 (1987) 91
Izawa, N., see Maruyama 102 (1987) 1
Izawa, N., see Maruyama 102 (1987) 11

Jax, P., see Gehrhardt 102 (1987) 289

Kappes, W., see Bohn 102 (1987) 341
Kappes, W., see Bohn 102 (1987) 361
Katzenmeier, G., see Brinette 102 (1987) 245
Kawaji, M., see Tanaka 102 (1987) 165
Kawamura, H., see Maruyama 102 (1987) 11
Kim, S.N. and P. Griffith, PWR pressurizer modeling 102 (1987) 199
Kockelmann, H., see Steinmill 102 (1987) 331
Koizumi, Y., see Kumamaru 102 (1987) 71
Koizumi, Y., H. Nakamura, K. Tasaka, J.A. Findlay, L.S. Lee and W.A. Sutherland, BWR small break LOCA counterpart tests at ROSA-III and FIST test facilities 102 (1987) 151
Koizumi, Y., see Tanaka 102 (1987) 165
Kolar, W., see Städtke 102 (1987) 183
Kröning, M., see Bohn 102 (1987) 361
Kröning, M., see Dalichow 102 (1987) 377
Kukita, Y., see Tanaka 102 (1987) 165
Kukita, Y., K. Namatame, I. Takeshita and M. Shiba, LOCA steam condensation loads in BWR Mark II pressure suppression containment system 102 (1987) 225
Kumamaru, H., Y. Koizumi and K. Tasaka, Investigation of pre- and post-dryout heat transfer of steam–water two-phase flow in a rod bundle 102 (1987) 71
Kussmaul, K. and A. Ettemeyer, Deformation analysis of a 900 MW reactor pressure vessel head by means of holographic interferometry 102 (1987) 307
Kussmaul, K., J. Föhl and E. Roos, Some conclusions with regard to safety assessment of cracked components drawn from the research programme "Integrity of components" (FKS II) at the present state, 102 (1987) 397

Lee, L.S., see Koizumi 102 (1987) 151
Lee, N., Limiting countercurrent flow phenomenon in small break LOCA transients 102 (1987) 211
Lewis, M., see Good 102 (1987) 45
Liu, S.-N., see Behravesh 102 (1987) 265

Magonette, G., see Casadei 102 (1987) 463
Maier, H.-J., see Gehrhardt 102 (1987) 289
Mart, G.A., see Doctor 102 (1987) 387
Maruyama, S., K. Takase, R. Hino, N. Izawa, M. Hishida and H. Shimomura, Experimental studies on the thermal and hydraulic performance of the fuel stack of VHTR: Part I. HENDEL single-channel tests with uniform heat flux 102 (1987) 1
Maruyama, S., K. Takase, R. Hino, N. Izawa, H. Kawamura and H. Shimomura, Experimental studies on the thermal and hydraulic performance of the fuel stack of the VHTR: Part II. HENDEL multichannel test rig with twelve fuel rods 102 (1987) 11
Mattson, R., see Good 102 (1987) 45
McFadden, J.H., see Agee 102 (1987) 191
Miura, R., see Tsukada 102 (1987) 495
Miyoshi, S., Y. Tanimoto, K. Uyama and Y. Sano, The evaluation of SCC defects of steel pipe using high-energy X-ray CT scanner 102 (1987) 275
Modro, S.M., P. North and T.H. Chen, LOFT small break experiments 102 (1987) 143

Nakamura, H., see Koizumi 102 (1987) 151
Namatame, K., see Kukita 102 (1987) 225
Neumann, R., see Bohn 102 (1987) 341
Niemann, H.-R., see Aust 102 (1987) 229
Noel, B., see Barre 102 (1987) 177
North, P., see Modro 102 (1987) 143

Oriolo, F., see D'Auria 102 (1987) 129
Osakabe, M., see Tanaka 102 (1987) 165

Packeiser, R., D. Aurich and J. Ziebs, Influence of loading rate on the crack resistance curve and the initiation temperature 102 (1987) 487
Paulsen, M.P., see Agee 102 (1987) 191
Peterson, C.E., see Agee 102 (1987) 191

Rathgeb, W., see Bohn 102 (1987) 361
Reid, L.D., see Doctor 102 (1987) 387
Rice, J.G., see Farnsworth 102 (1987) 33
Roos, E., see Kussmaul 102 (1987) 397
Roos, E., U. Eisele, H. Silcher and F. Spaeth, The influence of the material toughness and the state of stress on fracture of large scale specimens 102 (1987) 439
Roos, E., U. Eisele, H. Beyer and R. Gillot, Classification and characterization of materials by means of fracture mechanics parameters 102 (1987) 475
Rosztoczy, Z.R., Emergency core cooling system design considerations derived from small loss of coolant accidents 102 (1987) 217
Roye, W. and H.-A. Crostack, Profile- and deformation measurements with high axial resolution using the acoustical holography 102 (1987) 313
Ruthrof, K., see Bohn 102 (1987) 341

Sano, Y., see Miyoshi 102 (1987) 275
Sato, I., see Tsukada 102 (1987) 495
Schmid, R., see Dalichow 102 (1987) 377
Schmülling, W., see Deuster 102 (1987) 319
Schneider, H., see Böttger 102 (1987) 369
Schultheiss, G.F., see Aust 102 (1987) 229
Schultz, R.R., see Tanaka 102 (1987) 165
Schulz, H., see Beliczey 102 (1987) 431
Seidensticker, R.W., see Wang 102 (1987) 21
Shiba, M., see Kukita 102 (1987) 225
Shimomura, H., see Maruyama 102 (1987) 1
Shimomura, H., see Maruyama 102 (1987) 11
Silcher, H., see Roos 102 (1987) 439
Spaeth, F., see Roos 102 (1987) 439
Städtke, H., B. Worth and W. Kolar, RELAP5 assessment with LOBI small-break LOCA test results 102 (1987) 183
Stanger, H.-K., see Bohn 102 (1987) 341
Steinmill, H. and H. Kockelmann, Crack depth measurements on fracture mechanics specimens by the ultrasonic amplitude modulation method 102 (1987) 331
Sursock, J.P., see Duffey 102 (1987) 115
Sutherland, W.A., see Koizumi 102 (1987) 151
Sutradhar, S.C. and J.S. Chang, The role of interfacial friction on the shock wave propagation in stratified gas–liquid flow inside pressure tubes 102 (1987) 235
Suzuki, K., see Tsukada 102 (1987) 495
Swanson, L.W., and I. Catton, PWR annulus thermal hydraulics important to analysis of pressurized thermal shock 102 (1987) 105

Tasaka, K., see Kumamaru 102 (1987) 71
Tasaka, K., see Koizumi 102 (1987) 151
Tasaka, K., see Tanaka 102 (1987) 165
Takase, K., see Maruyama 102 (1987) 1
Takase, K., see Maruyama 102 (1987) 11
Takeshita, I., see Kukita 102 (1987) 225
Tanaka, M., Y. Kukita, R.R. Schulz, Y. Koizumi, M. Kawaji, M. Osakabe, T. Yonomoto and K. Tasaka, A 10% cold leg break test at ROSA-IV large scale test facility 102 (1987) 165
Tanimoto, Y., see Miyoshi 102 (1987) 275
Theiner, W.A. and P. Deimel, Non-destructive testing of welds with the 3MA-analyzer 102 (1987) 257
Theofanous, T.G. and K. Iyer, Mixing phenomena of interest to SBLOCAs 102 (1987) 91
Thomauske, K., see Barleon 102 (1987) 59
Tsukada, H., K. Suzuki, I. Sato and R. Miura, Ultra-large size austenitic stainless steel forgings for a fast breeder reactor: Development, manufacturing and properties achieved 102 (1987) 495
Tuomisto, H., Large-scale air/water flow tests for separate effects during LOCAs in PWRs 102 (1987) 171
Twickler, R., see Dahl 102 (1987) 451

Uwer, D., see Dahl 102 (1987) 451
Uyama, K., see Miyoshi 102 (1987) 275

Verzeletti, G., see Casadei 102 (1987) 463
Vigni, P., see D'Auria 102 (1987) 129

Wang, C.Y., T.B. Belytschko, Y.W. Chang and R.W. Seidensticker, An implicit three-dimensional finite-element formulation for long-duration structural analysis of piping systems 102 (1987) 21
Waschkies, E., see Gehrhardt 102 (1987) 289
Weingarten, W., see Böttger 102 (1987) 369
Werden, B., see Dressler 102 (1987) 357
Werle, H., see Barleon 102 (1987) 59
Worth, B., see Städtke 102 (1987) 183

Yonomoto, T., see Tanaka 102 (1987) 165

Ziebs, J., see Packeiser 102 (1987) 487

Nuclear Engineering and Design 102 (1987) 509–511
North-Holland, Amsterdam

SUBJECT INDEX TO VOLUME 102

Thermal and fluid design

Experimental studies on the thermal and hydraulic performance of the fuel stack of the VHTR: Part I. HENDEL single-channel tests with uniform heat flux, S. Maruyama, K. Takase, R. Hino, N. Izawa, M. Hishida and H. Shimomura 102 (1987) 1

Experimental studies on the thermal and hydraulic performance of the fuel stack of the VHTR: Part II. HENDEL multichannel test rig with twelve fuel rods, S. Maruyama, K. Takase, R. Hino, N. Izawa, H. Kawamura and H. Shimomura 102 (1987) 11

Improved convergence of thermally coupled problems, D.A. Farnsworth and J.G. Rice 102 (1987) 33

Extended dryout and rewetting of small-particle core debris, L. Barleon, K. Thomauske and H. Werle 102 (1987) 59

Investigation of pre- and post-dryout heat transfer of steam–water two-phase flow in a rod bundle, H. Kumamaru, Y. Koizumi and K. Tasaka 102 (1987) 71

PWR annulus thermal hydraulics important to analysis of pressurized thermal shock, L.W. Swanson and I. Catton 102 (1987) 105

Natural circulation phenomena relevant to small breaks and transients, R.B. Duffey and J.P. Sursock 102 (1987) 115

Assessment of scaling principles for the simulation of small break LOCA experiments in PWRs, F. D'Auria, G.M. Galassi, F. Oriolo and P. Vigni 102 (1987) 129

LOFT small break experiments, S.M. Modro, P. North and T.H. Chen 102 (1987) 143

BWR small break LOCA counterpart tests at ROSA-III and FIST test facilities, Y. Koizumi, H. Nakamura, K. Tasaka, J.A. Findlay, L.S. Lee and W.A. Sutherland 102 (1987) 151

A 10% cold leg break test at ROSA-IV large scale test facility, M. Tanaka, Y. Kukita, R.R. Schultz, Y. Koizumi, M. Kawaji, M. Osakabe, T. Yonomoto and K. Tasaka 102 (1987) 165

Calculation of LOFT L3-5 experiment with CATHARE, F. Barre, Ch. Chauliac and B. Noel 102 (1987) 177

RELAP5 assessment with LOBI small-break LOCA test results, H. Städtke, B. Worth and W. Kolar 102 (1987) 183

RETRAN'S improved small break modeling capability, L.J. Agee, J.H. McFadden, M.P. Paulsen and C.E. Peterson 102 (1987) 191

Heat conduction and transfer

Emergency core cooling system design considerations derived from small loss of coolant accidents, Z.R. Rosztoczy 102 (1987) 217

LOCA steam condensation loads in BWR Mark II pressure suppression containment system, Y. Kukita, K. Namatame, I. Takeshita and M. Shiba 102 (1987) 225

Fluid dynamics

Mixing phenomena of interest to SBLOCAs, T.G. Theofanous and K. Iyer 102 (1987) 91

Large-scale air/water flow tests for separate effects during LOCAs in PWRs, H. Tuomisto 102 (1987) 171

Limiting countercurrent flow phenomenon in small break LOCA transients, N. Lee 102 (1987) 211

Simulation of small break LOCA effects on BWR-pressure suppression systems, E. Aust, H.-R. Niemann and G.F. Schultheiss 102 (1987) 229

The role of interfacial friction on the shock wave propagation in stratified gas–liquid flow inside pressure tubes, S.C. Sutradhar and J.S. Chang 102 (1987) 235

Engineering mechanics

An implicit three-dimensional finite-element formulation for long-duration structural analysis of piping systems, C.Y. Wang, T.B. Belytschko, Y.W. Chang and R.W. Seidensticker 102 (1987) 21

Materials properties

The evaluation of SCC defects of steel pipe using high-energy X-ray CT scanner, S. Miyoshi, Y. Tanimoto, K. Uyama and Y. Sano 102 (1987) 275

Some conclusions with regard to the safety assessment of cracked components drawn from the research programme "Integrity

of Components" (FKS II) at the present state, K. Kussmaul, J. Föhl and E. Roos 102 (1987) 397
Advances in PWR structural integrity assessment and materials technology in the United Kingdom, B.J. Darlaston and W.E. Gardner 102 (1987) 419
The probability of leakage in piping systems of pressurized water reactors on the basis of fracture mechanics and operating experience, S. Beliczey and H. Schulz 102 (1987) 431
The influence of the material toughness and the state of stress on fracture of large scale specimens, E. Roos, U. Eisele, H. Silcher and F. Spaeth 102 (1987) 439
Determination of fracture mechanics properties of welded joints and comparison with the failure behaviour of wide plates, W. Dahl, H. Ehrhardt, A. Heuser, R. Hubo, R. Twickler and D. Uwer 102 (1987) 451
Dynamic testing of large AISI 316-L steel specimens behaviour using LDTF, F. Casadei, C. Delzano, G. Magonette, J.P. Halleux and G. Verzeletti 102 (1987) 463
Classification and characterization of materials by means of fracture mechanics parameters, E. Roos, U. Eisele, H. Beyer and R. Gillot 102 (1987) 475
Influence of loading rate on the crack resistance curve and the initiation temperature, R. Packeiser, D. Aurich and J. Ziebs 102 (1987) 487
Ultra-large size austenitic stainless steel forgings for a fast breeder reactor: Development, manufacturing and properties achieved, H. Tsukada, K. Suzuki, I. Sato and R. Miura 102 (1987) 495

Mechanical design, component fabrication and testing

PWR pressurizer modeling, S.N. Kim and P. Griffith 102 (1987) 199
On-line surveillance instrumentation for full scale thermal shock trials under real pressurized water conditions (German HDR-program), R. Brinette, G. Dobmann, G. Deuster and G. Katzenmeier 102 (1987) 245
Non-destructive testing of welds with the 3MA-analyzer, W.A. Theiner and P. Deimel 102 (1987) 257
Status of advanced UT systems for the nuclear industry, M. Behravesh, M. Avioli, G. Dau and S.-N. Liu 102 (1987) 265
Experimental study on the application of acoustic emission during the hydraulic pressurization of a reactor pressure vessel, H.-J. Gehrhardt, J. Eisenblätter, P. Jax, H.-J. Maier and E. Waschkies 102 (1987) 289
Deformation analysis of a 900 MW reactor pressure vessel head by means of holographic interferometry, K. Kussmaul and A. Ettemeyer 102 (1987) 307
Profile- and deformation measurements with high axial resolution using the acoustical holography, W. Roye and H.-A. Crostack 102 (1987) 313
German NDE within PISC-II program, G. Deuster and W. Schmülling 102 (1987) 319
Crack depth measurements on fracture mechanics specimens by the ultrasonic amplitude modulation method, H. Steinmill and H. Kockelmann 102 (1987) 331
Apparative developments for inservice inspections of reactor pressure vessels, H. Bohn, K. Ruthrof, O.A. Barbian, W. Kappes, R. Neumann and H.-K. Stanger 102 (1987) 341
Experience with a universal ALOK ultrasonic testing system, K. Dressler and B. Werden 102 (1987) 357
Proving the capabilities of the phased-array probe/ALOK inspection technique, H. Bohn, M. Kröning, W. Rathgeb, W. Gebhardt, W. Kappes and O.A. Barbian 102 (1987) 361
Prototype EMAT system for tube inspection with guided ultrasonic waves, W. Böttger, H. Schneider and W. Weingarten 102 (1987) 369
Crack depth measurements in stainless steel pipes – Methods and reliability, M. Dalichow, R. Heumüller, M. Kröning and R. Schmid 102 (1987) 377
Application of real-time 3D SAFT in the TANDEM mode, S.R. Doctor, T.E. Hall, L.D. Reid and G.A. Mart 102 (1987) 387
The probability of leakage in piping systems of pressurized water reactors on the basis of fracture mechanics and operating experience, S. Beliczey and H. Schulz 102 (1987) 431
Ultra-large size austenitic stainless steel forgings for a fast breeder reactor: Development, manufacturing and properties achieved, H. Tsukada, K. Suzuki, I. Sato and R. Miura 102 (1987) 495

Reactor concepts and systems analysis

Emergency core cooling system design considerations derived from small loss of coolant accidents, Z.R. Rosztoczy 102 (1987) 217

Nuclear safety

Experimental studies on the thermal and hydraulic performance of the fuel stack of the VHTR: Part I. HENDEL single-channel tests with uniform heat flux, S. Maruyama, K. Takase, R. Hino, N. Izawa, M. Hishida and H. Shimomura 102 (1987) 1
Experimental studies on the thermal and hy-

draulic performance of the fuel stack of the VHTR: Part II. HENDEL multichannel test rig with twelve fuel rods, S. Maruyama, K. Takase, R. Hino, N. Izawa, H. Kawamura and H. Shimomura 102 (1987) 11

Analytically predicted vs. measured response of a free-standing steel containment vessel subjected to safety-relief valve discharge loads, H. Good, M. Lewis, J. Fitch and R. Mattson 102 (1987) 45

Extended dryout and rewetting of small-particle core debris, L. Barleon, K. Thomauske and H. Werle 102 (1987) 59

Investigation of pre- and post-dryout heat transfer of steam–water two-phase flow in a rod bundle, H. Kumamaru, Y. Koizumi and K. Tasaka 102 (1987) 71

Mixing phenomena of interest to SBLOCAs, T.G. Theofanous and K. Iyer 102 (1987) 91

PWR annulus thermal hydraulics important to analysis of pressurized thermal shock, L.W. Swanson and I. Catton 102 (1987) 105

Natural circulation phenomena relevant to small breaks and transients, R.B. Duffey and J.P. Sursock 102 (1987) 115

Assessment of scaling principles for the simulation of small break LOCA experiments in PWRs, F. D'Auria, G.M. Galassi, F. Oriolo and P. Vigni 102 (1987) 129

LOFT small break experiments, S.M. Modro, P. North and T.H. Chen 102 (1987) 143

BWR small break LOCA counterpart tests at ROSA-III and FIST test facilities, Y. Koizumi, H. Nakamura, K. Tasaka, J.A. Findlay, L.S. Lee and W.A. Sutherland 102 (1987) 151

A 10% cold leg break test at ROSA-IV large scale test facility, M. Tanaka, Y. Kukita, R.R. Schultz, Y. Koizumi, M. Kawaji, M. Osakabe, T. Yonomoto and K. Tasaka 102 (1987) 165

Large-scale air/water flow tests for separate effects during LOCAs in PWRs, H. Tuomisto 102 (1987) 171

Calculation of LOFT L3-5 experiment with CATHARE, F. Barre, Ch. Chauliac and B. Noel 102 (1987) 177

RELAP5 assessment with LOBI small-break LOCA test results, H. Städtke, B. Worth and W. Kolar 102 (1987) 183

RETRAN's improved small break modeling capability, L.J. Agee, J.H. McFadden, M.P. Paulsen and C.E. Peterson 102 (1987) 191

Limiting countercurrent flow phenomenon in small break LOCA transients, N. Lee 102 (1987) 211

Emergency core cooling system design considerations derived from small loss of coolant accidents, Z.R. Rosztoczy 102 (1987) 217

LOCA steam condensation loads in BWR Mark II pressure suppression containment system, Y. Kukita, K. Namatame, I. Takeshita and M. Shiba 102 (1987) 225

Simulation of small break LOCA effects on BWR-pressure suppression systems, E. Aust, H.-R. Niemann and G.F. Schultheiss 102 (1987) 229